OHC100 Series




Overhead concealed closers control door opening and closing, while providing an aesthetically pleasing design option for both interior and exterior use. The Falcon OHC100 Series is used with aluminum doors and frames, providing years of maintenance-free performance.

Standard features

- Economical option for overhead concealed closer
- Retrofittable, matches Jackson hole pattern
- Cast iron construction ensures lasting durability
- Fits inside standard aluminum frame header for improved aesthetics and increased security.
- 90° and 105° standard opening with optional hold-open
- Multiple size options available:
- OHC 101 adjustable sizes 1-3
 OHC 100 adjustable sizes 3-5
- Meets UL228
- 5 year warranty

Top view






End view

Bottom view

Side view





2<u>3</u>"


Installation accessories



"S" arm, OHC100-SL, OHC100A-SL Non-handed arm, side load, center hung, steel forge.



"VO" arm, OHC100-VO, OHC100A-VO Non-handed arm, offset arm w/ slide channel, steel forge.



"A" arm, OHC100-EL, OHC100A-EL Non-handed arm, end load, center hung, steel forge.



"GE" pivots, OHC100-GE, OHC100A-GE Non-handed, adjustable height,

arm.

center hung, used with side load



1000

"AFK" mounting brackets, OHC100-AFK

Provides anchorage for adjustable size cylinder to the door frame.



"DP" pivots, OHC100-DP, OHC100A-DP

Non-handed, adjustable height, center hung, used with end load arm.

OHC100 Series Cylinder Size Arm finish Arm Accessories STD 90° Standard **STD 105**° HO 90° Hold Open HO 105° 1-3 Adjustable OHC101 3-5 OHC100 Adjustable Dark bronze 695 (Only OCH100 cylinder finish; available on VO arms) Aluminum 689 (Only finish for OHC100 arms except VO arms) s Side load arm Α End load arm vo Offset arm and track AFK bracket GE pivot* DP pivot*

*Not available with VO arm type.

Concealed closer cross reference

OHC100 Series
RTS88
TC7000
Series 200, Series 300, Series 500
20-330
Husky II
30 Series